

# Referral Messages Release 003

## Message Relationship Table

### Table of Contents:

- [RRA0 - Eligibility and `Referred To' Physician Validation Request](#)
- [RRA1 - \(response to RRA0\)Eligibility and `Referred To' Physician Validation Response](#)
- [RRC0 - Referral Review by Contract and optional Referral number](#)
- [RRC1 - Referral Review Response](#)
- [RRH0 - Referral Review of Requesting Provider By Date Range](#)

## Referral Messages Release 003 Message Relationship Table

REQUESTS		RESPONSE COMBINATIONS	
RRA0	Eligibility and `referred To physician' validation	RRA1 OR <i>ZZZZ</i>	Validation response message OR Error message
RRC0	Referral review by contract number and optional referral number	RRC1 OR <i>ZZZZ</i>	Message for each referral OR Error message
RRH0	Referral review (referring and referred to) for inquiring provider by date range	RRC1 OR <i>ZZZZ</i>	Message for each referral OR Error message

### RRA0 - Eligibility and `Referred To' Physician Validation Request

FIELD	LOCATION	LENGTH	ATTRIBUTE	DESCRIPTION
Length	1	6	N	'00086'
Message ID	7	4	A	'RRA0'
Release	11	3	N	'003'
Sign-on information	14	28		Refer to security form
Sign-on	14	8	A	BCBS assigned ID
User ID	22	9	N	
Password	31	8	A	
Initials	39	3	A	
Provider ID Qualifier	42	2	A	'XX' for NPI – '1G' for UPIN – – 'N5' for legacy physician
Provider ID	44	15	N	BCBS assigned ID
Contract Number (required)	59	30	A	BCBS Contract Number
Physician or Hospital ID	89	2	A	'XX' for NPI – '1G' for UPIN –

qualifier				'1J' for legacy facility – 'N5' for legacy physician
"Referred To" physician or hospital ID (required)	91	15	A	UPIN (unique physician identification number), NPI (national provider ID), or BCBS provider number.
Referral starting date	106	8	N	CCYYMMDD

### RRA1 - (response to RRA0) Eligibility and 'Referred To' Physician Validation Response

FIELD	LOCATION	LENGTH	ATTRIBUTE	DESCRIPTION
Length	1	6	N	Length in bytes
Message ID	7	4	A	'RRA1'
Release	11	3	N	'003'
Provider ID Qualifier	14	2	A	From RRA0
Provider ID	16	15	N	BCBS assigned ID
Contract Number	31	30	A	BCBS contract number.
Referral Date	61	8	N	CCYYMMDD
'Referred To' physician or Hospital ID Qualifier	69	2	A	'XX' for NPI – '1G' for UPIN '1J' for legacy facility – 'N5' for legacy physician
'Referred To' physician or Hospital ID (required)	71	15	A	UPIN (unique physician identification number), NPI (national provider ID), or BCBS provider

				number.
'Referred To' Physician's Business Name	86	35	A	Business Name of 'Referred To' physician.
'Referred To' Physician's PMD Indicator	121	1	A	'Y' for PMD – 'N' for non-PMD
The Following Fields may occur up to 20 times:				
Patient Information	122	73		
Last Name	122	35	A	
First Name	157	25	A	
Middle Initial	182	1	A	
Date of Birth	183	8	N	CCYYMMDD
Sex	191	1	A	'M' for male – 'F' for female
Relationship to Subscriber	192	3	A	'SUB' for subscriber – 'SPS' for spouse – 'DEP' for dependent

## RRC0 - Referral Review by Contract and optional Referral number

FIELD	LOCATION	LENGTH	ATTRIBUTE	DESCRIPTION
Length	1	6	N	Length in bytes
Message ID	7	4	A	'RRC0'
Release	11	3	N	'003'
Sign-on Information	14	28		Refer to security form
Sign-on	14	8	A	BCBS assigned ID
User ID	22	9	N	
Password	31	8	A	
Initials	39	3	A	
Provider ID Qualifier	42	2	A	'XX' for NPI – '1G' for UPIN — 'N5' for legacy physician
Provider ID	44	15	N	UPIN (unique physician identification number), NPI (national provider ID), or BCBS provider number.
Contract Number	59	30	A	BCBS contract number.
Up to ten referral numbers may be sent. Leave blank for all per contract number.				
Referral Number (optional)	89	7	N	BCBS assigned referral number.

## RRC1 - Referral Review Response

FIELD	LOCATION	LENGTH	ATTRIBUTE	DESCRIPTION
Length	1	6	N	'000343'
Message ID	7	4	A	'RRC1'
Release	11	3	N	'003'
Provider ID Qualifier	14	2	A	From RRC0
Provider ID	16	15	N	From RRC0

Contract Number	31	30	A	BCBS contract number.
Referral Number	61	7	N	BCBS assigned referral number.
Provider Business Name	68	35	A	
Referral Starting Date	103	8	N	CCYYMMDD
Referral Ending Date	111	8	N	CCYYMMDD
Patient Last Name	119	35	A	
Patient First Name	154	25	A	
Patient Middle Initial	179	1	A	
Patient DOB	180	8	N	CCYYMMDD
Patient Sex	188	1	A	'M' for male – 'F' for female
Patient Phone Number	189	10	N	Area code + phone number
'Referred to' Physician ID Qualifier	199	2	A	'XX' for NPI – '1G' for UPIN – 'N5' for legacy physician
'Referred to' Physician's ID	201	15	A	UPIN (Unique Physician Identification Number), NPI (National Provider Identifier), or BCBS provider number
'Referred to' Physician's Business Name	216	35	A	
Diagnosis Code	251	7	A	ICD-9 diagnosis
'Referred to' physician's PMD indicator	258	1	A	'Y' for PMD – 'N' for non-PMD

Emergency Room Visits Indicator	259	1	A	'Y' for ER visits allowed – 'N' for no ER visits allowed
Number of Visits	260	3	N	Allowed number of visits
Allow clinic	263	1	A	'N' for "Only specific 'referred to' physician may see patient – 'Y' (default) for "Any physician in the clinic may see patient
Comments	264	264	A	Comments from physician

## RRH0 - Referral Review of Requesting Provider by Date Range

<b>FIELD</b>	<b>LOCATION</b>	<b>LENGTH</b>	<b>ATTRIBUTE</b>	<b>DESCRIPTION</b>
Length	1	6	N	'000066'
Message ID	7	4	A	'RRH0'
Release	11	3	N	'003'
Sign-on Information	14	28		Refer to security form
Sign-on	14	8	A	BCBS assigned ID
User ID	22	9	N	
Password	31	8	A	
Initials	39	3	A	
Provider ID qualifier	42	2	A	'XX' for NPI – '1G' for UPIN — 'N5' for legacy physician
Provider ID	44	15	N	UPIN (Unique Physician Identification Number), NPI (National Provider Identifier), or BCBS provider number
Begin date	59	8	N	CCYYMMDD – Start date for date range.
End date	67	8	N	CCYYMMDD – End date for date range.