

## Preventive Service Benefits

The following preventive services and immunizations do not apply to all health plans administered or insured by Blue Cross and Blue Shield of Alabama. Some or all of the contraceptive methods or prescription drugs listed may not be covered under the plan because of the employer's religious beliefs. To find out if contraceptive methods and prescription drugs are excluded, please contact Customer Service for additional information.

If the preventive services section of your plan's benefit booklet refers you to **AlabamaBlue.com**, the preventive services and immunizations listed below will be covered by your plan. However, your group may decide to delay the effective date for coverage until your group's plan year for any new preventive services and immunizations recently added to this list. If your plan covers these services, please be aware that in some cases, routine preventive services and routine immunizations may be billed separately from your office or other facility visit. In that case, the applicable office visit or outpatient facility copayments described in the physician benefits and outpatient hospital benefits sections of your benefit booklet may apply. In any case, applicable office visit or facility copayments may still apply when the primary purpose for your visit is not routine preventive services and/or routine immunizations. **Please ask the provider to contact your Health Plan to verify the procedure and diagnosis codes that are covered under these preventive services.** If you have any questions about your plan's benefits, you may also call our Customer Service Department at the number on the back of your ID card.

Contact your group benefit administrator for information regarding the effective date of new preventive services and immunization recently added to the list below

Preventive Services For Adults	Frequency/Limitations
Abdominal Aortic Aneurysm Screening	Age 65-75 one screening per lifetime (men only with any history of smoking)
Alcohol Misuse Screening and Behavioral Counseling Interventions	One per calendar year
Ambulatory Blood Pressure Monitoring	Once per lifetime to confirm the diagnosis of hypertension
Aspirin Use Counseling for CVD Prevention (for dates of services prior to April 1, 2023)	Men age 50-59; Women age 13-59 every 5 years (effective April 1, 2023, this service is no longer considered under preventive)
Behavior Counseling to Prevent Skin Cancer	Age 6 months-24 years (included in E&M and/or preventive office visit
Blood Pressure Screening	Age 18 and older, one per calendar year (included as part of an office visit)
Cholesterol Screening	Men age 35 and older (20-35 at risk for CAD), Women age 45 and older (20-45 at risk for CAD) every 5 years
Colorectal Cancer Screening	Age 45-75
Fecal occult blood testing	One per calendar year
CT Colonography (Visual Colonoscopy)	Every 5 years
<ul> <li>Sigmoidoscopy</li> </ul>	Every 3 years
<ul> <li>Colonoscopy (including bowel prep medications)</li> </ul>	Every 10 years
Barium Enema	Every 5 years
Pre-Screening Consultation	Every 10 years
<ul> <li>FIT-DNA (e.g., Cologuard, Cologuard Plus)</li> </ul>	Every 3 years
Depression, Anxiety, and Suicide Risk Screening	Age 11 and older, three per calendar year (effective 11/2023, Age 8 and older)
Diabetes Screening	Age 19 and older, every 3 years
Diet Counseling (Adults with high risk for chronic disease)	Age 19 and older, three hours each calendar year
Fall Prevention Screening	Age 65 and older. Exercise, physical therapy and vitamin D supplementation
Hepatitis B Screening	Age 11 and older, one per calendar year
Hepatitis C Screening	Once per lifetime; Once per year for individuals at high risk for infection
HIV Screening (At Risk and All Pregnant Women)	Age 10 and older
HIV Infection Prevention: Pre-exposure Prophylaxis (PrEP) (Antiretroviral medication to be considered under the pharmacy plan when ordered by a physician)	Effective 9/17/21, the following services for baseline/ follow-up testing and monitoring are included per the CDC PrEP guidelines (ages 10 and older):  • Kidney function testing (creatinine)  • Hepatitis B and C testing  • HIV Testing  • Associated office visits
Lung Cancer Screening	Age 50-80, one per calendar year
Obesity Screening and Counseling	Age 6 and older, one per calendar year
Prostate Screening	Men age 40 and older, one per calendar year

Preventive Services For Adults	Frequency/Limitations
Psychosocial/Behavioral Assessment	Age Newborn-21 years, 31 services during age range
Preventive Office Visit	One per calendar year
Sexually Transmitted Infection Prevention Counseling	Age 10 and older, one per calendar year
Tobacco Use Counseling	Age 6 and older, 8 per calendar year
Tuberculosis Infection Screening	Age 19 and older (adults at risk), one per calendar year
Preventive Services for Women (Including Pregnant Women	n) Frequency/Limitations
Bacteriuria (Pregnant Women)	With pregnancy
BRCA Counseling about genetic testing for women at higher risk	Once in a lifetime
Breast Cancer Chemoprevention Counseling	Once in a lifetime
Breast Cancer Mammography Screening	Age 35-39 one baseline, age 40 and older one per calendar year
Breastfeeding Support	
Behavioral Interventions	Twice per calendar year
Counseling and Support	Age 10 and older, five per year in conjunction with a birth
Supplies - Pumps and Accessories	Age 10 and older; one electric breast pump allowed per pregnancy
Cervical Cancer Screening (Pap Smear)	One per calendar year
Chlamydia Screening	Age 15 and older, one per calendar year
Contraceptive Methods and Counseling	
Counseling	Age 10 and older, one annually
Sterilization	Age 10 and older, one procedure per lifetime
Confirmatory Test	Two per lifetime
Contraceptive - Mobile Application (Effective 4/1/24)	Age 10 and older, one 12-month subscription per calendar year.  *Coverage includes member reimbursement for the cost of FDA-approved, cleared, or granted mobile device applications for use as contraception consistent with the FDA-approved, cleared, or granted indication
Contraceptive - Medical	Age 10 and older
Gonorrhea Screening	Age 11 and older, twice per calendar year
Healthy Weight Gain in Pregnancy Counseling	Age 10 and older, three hours per calendar year
Hepatitis B Screening	One per calendar year for pregnant women
HIV Screening (At Risk and All Pregnant Women)	Age 10 and older
HIV Counseling	Age 10 and older, one per calendar year
Human Papillomavirus (HPV) Screening	Age 30 and older, every 3 years
Iron Deficiency Anemia Screening	One per calendar year for pregnant women
Osteoporosis Screening	Age 65 and older, 65 and younger if at risk once every 2 years
Preconception Visit	Age 10 and older, one visit per calendar year
Prenatal Care	Age 10 and older, up to six visits per calendar year depending on diagnosis
Preeclampsia Screening	Age 10 and older (included in prenatal office visit)
Perinatal Depression Preventive Interventions	Age 10 and older, three hours per calendar year
Prenatal Conference (Pediatrician only)	With pregnancy
Preventing Obesity in Midlife Women Counseling	Age 40-60 year, one hour per year
Rh Incompatibility Screening (All Pregnant Women)	Twice per calendar year
Screening and Counseling for Interpersonal and Domestic Violence	Age 10 and older, one per calendar year
Screening for Diabetes during Pregnancy	Age 10 and older, two per calendar year
Screening for Diabetes after Pregnancy	Age 10 and older, two per calendar year
Sexually Transmitted Infection (STI) Prevention Counseling	Age 10 and older, one per calendar year
Syphilis Screening (At Risk and All Pregnant Women)	No frequency limit
Tobacco Use Counseling (Pregnant Women)	Age 10 and older, 8 per calendar year
Well Women Visit	Age 10 and older, up to two visits per calendar year depending on diagnosis

Accord and Drug Use Assessments (Adolescents) Behavior Courseling be Prevent Skin Cancer Convical Cancer Screening (Pap Smear) One per calendar year Age 6 months-24 years (including in E&M and/or preventive office visit) Congenital Psychtyriodism (Newtorms) Age 2-4 days Depression, Anxiety, and Suicide Risk Screening Dental Caries Prevention (Ages 5) Age brith - 5 years, 4 per calendar year (effective 11/2023, Age 8 and older) Age brith - 5 years, 4 per calendar year (effective 11/2023, Age 8 and older) Dental Caries Prevention (Peachool Children) Developmental Screening (Ages 9) Developmental Screening Ages 9) Developmental Screening Ages 9 Developmental Screening Ages 9) Developmental Screening Ages 9 Deve	Preventive Services for Children	Frequency/Limitations
Curvical Cancer Screening (Pap Smear)         One per calendar year           Congenital Hypothyroidism (Newborns)         Age 2-4 days           Depression, Anview, and Suicide Risk Screening         Age 11 and older, three per calendar year (effective 11/2023, Age 8 and older)           Dental Caries Prevention (Preschool Children)         Age brith - 5 years. 4 per calendar year           Developmental Surveillance         Included in preventive office visit           Developmental Surveillance         Included as part of an office visit           Opsliptidenia         Age 2-10, one every 2 years, Age 11-17, one per calendar year, Age 18-21, once during age range           Genoma Prevention (Eye Meds for Newborns)         At delivery; included in standard inpatient newborn care           Hearing Screening (Newborns)         Age 2 months - 10 years, 8 tests during age range; Age 11-21, a tests during age range           Hearing Screening (Newborns)         Age 2 months - 10 years, 8 tests during age range; Age 11-21, one per calendar year           Hearing Screening (Newborns)         Age 11 and older, one per calendar year           Hepatitis B Screening         Age 6-17 years, 26 services during age range; Age 11-21, one per calendar year           Hepatitis B Screening         Age 6-17 years, 26 services per year           Hill Screening (Molescents at High Risk)         Age 6-17 years, 26 services per year           Hill Screening (Molescents at High Risk)         Age 6-17 years, 26 services d	Alcohol and Drug Use Assessments (Adolescents)	Age 11-21, one per calendar year
Congenital Hypothyroidism (Newborns)         Age 2.4 days           Depression, Anviety, and Suidide Risk Screening         Age 11 and older, three per calendar year (effective 11/2023, Age 8 and older)           Dental Caries Prevention (Peachool Children)         Included in preventive office visit           Developmental Screening (Rage 3)         Age birth - 30 months, 5 screenings           Developmental Surveillance         Included as part of an office visit           Dyslipidemia         Age 2-10, one every 2 years; Age 11-17, one per calendar year; Age 18-21, once during age range           Genorrhea Prevention (Eye Meds for Newborns)         At delivery; included in standard inpatient newborn care           Hearing Screening (Newborns)         Age 3 months - 10 years, 8 tests during age range; Age 11-21, 3 tests during age range           Hematorit or Hemoglobin Screening         Age 4 months - 10 years, 8 tests during age range; Age 11-21, one per calendar year           Hemoglobin pathies (sickle cell screening for newborns)         Age 5 thrth - 31 days           Hemoglobin Screening         Age 1 and older;           Hill Screening (Adolescents at High Risk)         Age 1 and older           Lead Screening (Adolescents at High Risk)         Age 1 and older           Lead Screening (Medborns)         Age 6 months - 6 years, 3 services during age range           Metabolic Hemoglobin Screening (Newborns)         Age 6 months - 6 years, 3 services during age range	Behavior Counseling to Prevent Skin Cancer	Age 6 months-24 years (including in E&M and/or preventive office visit)
Depression, Anxiety, and Suicide Risk Screening         Age 11 and older, three per calendar year (effective 11/2023, Age 8 and older)           Dental Caries Prevention ( <age 5)<="" th="">         Age birth - 5 years, 4 per calendar year           Developmental Screening (<age 3)<="" th="">         Age birth - 30 months, 5 screenings           Developmental Surveillance         Included as part of an office visit           Dysipidemia         Age 2-10, one every 2 years; Age 11-17, one per calendar year; Age 18-21, once during age range           Gonorrhea Prevention (Eye Meds for Newborns)         At delivery; included in standard inpatient newborn care           Hearing Screening (Newborns)         Age birth - 31 days, once in age range           Hearing Screening (Newborns)         Age 2 months - 10 years, 8 tests during age range; Age 11-21, 3 tests during age range           Hearing Screening (Newborns)         Age birth - 31 days           Hematicorit or Hemoglobin Screening for newborns)         Age birth - 31 days           Hepatitis B Screening         Age 11 and older, one per calendar year           Hepatitis B Screening (Adolescents Interventions (Effective 771/25)         Age 17 years, 26 services per year           Hilp's Screening (Adolescents at High Risk)         Age 10 and older           Lead Screening (Adolescents interventions (Effective 771/25)         Age 6 months - 6 years, 3 services during age range           Meternal Depression Screening (Newborns)         Age 6 months - 6 years, 3 services d</age></age>	Cervical Cancer Screening (Pap Smear)	One per calendar year
Dental Caries Prevention ( <age 5)<="" th="">         Age birth - 5 years, 4 per calendar year           Dental Caries Prevention (Preschool Children)         Included in preventive office visit           Developmental Screening (<age 3)<="" td="">         Age birth - 30 months, 5 screenings           Developmental Surveillance         Included as part of an office visit           Opslipidenia         Age 2-10, one every 2 years; Age 11-17, one per calendar year; Age 18-21, once during age range           Genorrhea Prevention (Eye Meds for Newborns)         At delivery; included in standard inpatient newborn care           Hearing Screening (Newborns)         Age birth - 31 days, once in age range           Hearing Screening (Newborns)         Age 4 months - 10 years, 8 tests during age range; Age 11-21, 3 tests during age range           Hearing Screening (Seckle cell screening         Age 4 months - 10 years, 8 tests during age range; Age 11-21, one per calendar year           Hemoglobinopathies (sickle cell screening for newborns)         Age birth - 31 days           Hepatitis B Screening         Age 4 months - 10 years, 3 services during age range; Age 11-21, one per calendar year           High Body Mass Index in Children and Adolescents Interventions (Effective 77/125)         Age 6-17 years, 26 services per year           Hiffy Screening Adeletions Screening         Age 6 months - 6 years, 3 services during age range           Maternal Depression Screening         Age 6 months - 6 years, 3 services during age range           &lt;</age></age>	Congenital Hypothyroidism (Newborns)	Age 2-4 days
Dental Carles Prevention (Preschool Children)         Included in preventive office visit           Developmental Screening ( <age 3)<="" th="">         Age birth - 30 months, 5 screenings           Developmental Surveillance         Included as part of an office visit           Dyslipidemia         Age 2-10, one every 2 years; Age 11-17, one per calendar year; Age 18-21, once during age range           Genorrhea Prevention (Eye Meds for Newborns)         At delivery; included in standard inpatient newborn care           Hearing Screening (Newborns)         Age birth - 31 days, once in age range           Hearing Screening         Age 2 months - 10 years, 8 tests during age range; Age 11-21, 3 tests during age range; Hematocrit or Hemoglobin Screening         Age birth - 31 days           Hematocrit or Hemoglobin Screening         Age 4 months - 10 years, 3 services during age range; Age 11-21, one per calendar year           Hemoglobinopathies (sickle cell screening for newborns)         Age birth - 31 days           Hemoglobinopathies (sickle cell screening for newborns)         Age 11 and older, one per calendar year           Hepatitis B Screening         Age 11 and older, one per calendar year           Horoscipil (Adolescents at High Risk)         Age 6 months - 6 years, 3 services during age range           Metabolic Hemoglobin Screening         Age 6 months - 6 years, 3 services during age range           Metabolic Hemoglobin Screening (Newborns)         Age 6 months - 6 years, 3 services during age range      <tr< td=""><td>Depression, Anxiety, and Suicide Risk Screening</td><td>Age 11 and older, three per calendar year (effective 11/2023, Age 8 and older)</td></tr<></age>	Depression, Anxiety, and Suicide Risk Screening	Age 11 and older, three per calendar year (effective 11/2023, Age 8 and older)
Developmental Screening ( <age 3)<="" th="">         Age birth - 30 months, 5 screenings           Developmental Surveillance         Included as part of an office visit           Dyslipidemia         Age 2-10, one every 2 years; Age 11-17, one per calendar year; Age 18-21, once during age range           Genorrhea Prevention (Eye Meds for Newborns)         At delivery; included in standard inpatient newborn care           Hearing Screening (Newborns)         Age birth - 31 days, once in age range           Hearing Screening (Newborns)         Age birth - 31 days, once in age range; Age 11-21, 3 tests during age range; Heart of the moglobin Screening         Age 2 months - 10 years, 8 tests during age range; Age 11-21, one per calendar year           Hemoglobin Screening         Age 4 months - 10 years, 3 services during age range; Age 11-21, one per calendar year           Hemoglobin Screening         Age 6-17 years, 26 services per year           Hilly Body Mass Index in Children and Adolescents Interventions (Effective 71/25)         Age 6-17 years, 26 services per year           HIV Screening (Adolescents at High Risk)         Age 6 months - 6 years, 3 services during age range           Metabolic Hemoglobin Screening (Newborns)         Age 10 and older           Lead Screening         Age 6 months - 6 years, 3 services during age range           Metabolic Hemoglobin Screening (Newborns)         Age 6 months - 6 years, 3 services during age range           Metabolic Hemoglobin Screening (Newborns)         Age 6 months - 6 years, 3 s</age>	Dental Caries Prevention ( <age 5)<="" td=""><td>Age birth - 5 years, 4 per calendar year</td></age>	Age birth - 5 years, 4 per calendar year
Developmental Surveillance  Dyslipidemia  Age 2-10, one every 2 years; Age 11-17, one per calendar year; Age 18-21, once during age range  Gonorrhea Prevention (Eye Meds for Newborns)  At delivery; included in standard inpatient newborn care  Hearing Screening (Newborns)  Age birth - 31 days, once in age range  Hearing Screening (Newborns)  Age 4 months - 10 years, 8 tests during age range; Age 11-21, 3 tests during age range; Hematocrit or Hemoglobin Screening  Hemoglobinopathies (sickle cell screening for newborns)  Age birth - 31 days  Hepatitis B Screening  Hemoglobinopathies (sickle cell screening for newborns)  Age 11 and older, one per calendar year  High Body Mass Index in Children and Adolescents Interventions (Effective 77/1/25)  Age 6-17 years, 26 services per year  HilV Screening (Adolescents at High Risk)  Age 10 and older  Lead Screening  Age 5 months - 6 years, 3 services during age range  Maternal Depression Screening (Newborns)  Age birth - 2 months, once in age range  Metabolic Hemoglobin Screening (Newborns)  Age 6 months - 6 years, 3 services during age range  Metabolic Hemoglobin Screening (Newborns)  Age 6 months - 6 years, 3 services during age range  Metabolic Hemoglobin Screening (Newborns)  Age 6 months - 6 years, 3 services during age range  Noutine Newborn Care (In Hospital)  Included in standard inpatient newborn care  Phenylketoruria (PKU for Newborns)  Age 2-14 days, 2 services during age range  Psychosocial/Behavioral Assessment  Age Newborn - 21 years, 31 services during age range  Sexually Transmitted Infections Counseling  Age 11-21, No frequency limit  Sudden Cardiac Arrest and Sudden Cardiac Death Screening (Effective 1/1/23)  Age 11-21, No frequency limit  Sudden Cardiac Arrest and Sudden Cardiac Death Screening (Effective 1/1/23)  Age 11-21 years, included in preventive office visits	Dental Caries Prevention (Preschool Children)	Included in preventive office visit
Dyslipidemia Age 2-10, one every 2 years; Age 11-17, one per calendar year; Age 18-21, once during age range Gonorrhea Prevention (Eye Meds for Newborns) At delivery; included in standard inpatient newborn care Hearing Screening (Newborns) Age birth - 31 days, once in age range range Hearing Screening Age 2 months - 10 years, 8 tests during age range; Age 11-21, 3 tests during age range Hematocrit or Hemoglobin Screening for newborns) Age 4 months - 10 years, 8 services during age range; Age 11-21, one per calendar year Hemoglobinopathies (sickle cell screening for newborns) Age birth - 31 days Hepatitis B Screening Age 11 and older, one per calendar year High Body Mass Index in Children and Adolescents Interventions (Effective 7/1/25) Age 6-17 years, 26 services per year HIV Screening (Adolescents at High Risk) Age 10 and older Lead Screening Age 6-17 years, 3 services during age range Maternal Depression Screening Age 6-17 years, 4 services during age range Maternal Depression Screening (Newborns) Age birth - 2 months, once in age range Metabolic Hemoglobin Screening (Newborns) Age 6-17 dean older, one per calendar year Oral Health Risk Assessment Age 6 months - 6 years, 3 services during age range Routine Newborn Care (in Hospital) Included in standard inpatient newborn care Phenylketonuria (PKU for Newborns) Age 2-14 days, 2 services during age range Psychosocial/Behavioral Assessment Age Newborn - 21 years, 31 services during age range Preventive Office Visit (cased on birth year); Age 7 and older, one per calendar year Sexually Transmitted Infections Counseling Age 11-21, No frequency limit Sudden Cardiac Arrest and Sudden Cardiac Death Screening (Effective 1/1/23) Age 11-21, years, included in preventive office visits	Developmental Screening ( <age 3)<="" td=""><td>Age birth - 30 months, 5 screenings</td></age>	Age birth - 30 months, 5 screenings
Gonorrhea Prevention (Eye Meds for Newborns) At delivery; included in standard inpatient newborn care Hearing Screening (Newborns) Age birth - 31 days, once in age range Hearing Screening Hematocrit or Hemoglobin Screening Hemoglobin Screening Hemoglobin Screening Hemoglobinopathies (sickle cell screening for newborns) Age birth - 31 days Hepatitis B Screening Hemoglobinopathies (sickle cell screening for newborns) Age birth - 31 days Hepatitis B Screening Hepatitis B Screening Hepatitis B Screening Age 11 and older, one per calendar year Hilf Screening (Adolescents at High Risk) Age 6-17 years, 26 services per year Hilf Screening Age 6 months - 6 years, 3 services during age range Maternal Depression Screening Age birth - 6 months, 4 services during age range Metabolic Hemoglobin Screening (Newborns) Age 6 months - 6 years, 3 services during age range Metabolic Hemoglobin Screening (Newborns) Age 6 months - 6 years, 3 services during age range Metabolic Hemoglobin Screening (Newborns) Age 6 months - 6 years, 3 services during age range Neutine Newborn Care (In Hospital) Included in standard inpatient newborn care Phenylketonuria (PKU for Newborns) Age 2-14 days, 2 services during age range Psychosocial/Behavioral Assessment Age Newborn - 21 years, 31 services during age range Preventive Office Visit  Sexually Transmitted Infections Counseling Age 10 and older, one per calendar year  Sexually Transmitted Infections Screening Age 11-21, No frequency limit Sudden Cardiac Arrest and Sudden Cardiac Death Screening (Effective 1/1/23) Age 11-21 years, 6 services during age range	Developmental Surveillance	Included as part of an office visit
Hearing Screening (Newborns)         Age birth - 31 days, once in age range           Hearing Screening         Age 2 months - 10 years, 8 tests during age range; Age 11-21, 3 tests during age range           Hematocrit or Hemoglobin Screening         Age 4 months - 10 years, 3 services during age range; Age 11-21, one per calendar year           Hemoglobinopathies (sickle cell screening for newborns)         Age birth - 31 days           Hepatitis B Screening         Age 11 and older, one per calendar year           HilV Screening (Adolescents at High Risk)         Age 6-17 years, 26 services per year           HIV Screening (Adolescents at High Risk)         Age 10 and older           Lead Screening         Age 6 months - 6 years, 3 services during age range           Metabolic Hemoglobin Screening (Newborns)         Age birth - 2 months, once in age range           Metabolic Hemoglobin Screening (Newborns)         Age 6 months - 6 years, 3 services during age range           Metabolic Hemoglobin Screening (Newborns)         Age 6 and older, one per calendar year           Obesity Screening and Counseling         Age 6 months - 6 years, 3 services during age range           Neutine Newborn Care (in Hospital)         Included in standard inpatient newborn care           Phenylketonuria (PKU for Newborns)         Age 2-14 days, 2 services during age range           Psychosocial/Behavioral Assessment         Age Newborn - 21 years, 31 services during age range           Sexu	Dyslipidemia	
Hearing ScreeningAge 2 months - 10 years, 8 tests during age range; Age 11-21, 3 tests during age rangeHematocrit or Hemoglobin ScreeningAge 4 months - 10 years, 3 services during age range; Age 11-21, one per calendar yearHemoglobinopathies (sickle cell screening for newborns)Age birth - 31 daysHepatitis B ScreeningAge 11 and older, one per calendar yearHilly Body Mass Index in Children and Adolescents Interventions (Effective 7/1/25)Age 6-17 years, 26 services per yearHIV Screening (Adolescents at High Risk)Age 10 and olderLead ScreeningAge 6 months - 6 years, 3 services during age rangeMaternal Depression ScreeningAge birth - 6 months, 4 services during age rangeMetabolic Hemoglobin Screening (Newborns)Age birth - 2 months, once in age rangeObesity Screening and CounselingAge 6 and older, one per calendar yearOral Health Risk AssessmentAge 6 months - 6 years, 3 services during age rangeRoutine Newborn Care (In Hospital)Included in standard inpatient newborn carePhenylketonuria (PKU for Newborns)Age 2-14 days, 2 services during age rangePsychosocial/Behavioral AssessmentAge Newborn - 21 years, 31 services during age rangePreventive Office Visit9 visits first two years of life; Age 2, two visits per birth year; Age 3-6, one each year (based on birth year); Age 7 and older, one visit per calendar yearSexually Transmitted Infections ScreeningAge 10 and older, one per calendar yearSexually Transmitted Infections ScreeningAge 11-21, No frequency limitSudden Cardiac Arrest and Sudden Cardiac Death Screening (Effective 1/1/23)Age 11-21 years	Gonorrhea Prevention (Eye Meds for Newborns)	At delivery; included in standard inpatient newborn care
Hematocrit or Hemoglobin Screening Hemoglobinopathies (sickle cell screening for newborns) Age birth - 31 days Hepatitis B Screening Age 11 and older, one per calendar year High Body Mass Index in Children and Adolescents Interventions (Effective 7/1/25) Age 6-17 years, 26 services per year HIV Screening (Adolescents at High Risk) Age 10 and older Lead Screening Age 6 months - 6 years, 3 services during age range Maternal Depression Screening Metabolic Hemoglobin Screening (Newborns) Age birth - 6 months, 4 services during age range Metabolic Hemoglobin Screening (Newborns) Age 6 and older, one per calendar year Oral Health Risk Assessment Age 6 months - 6 years, 3 services during age range Routine Newborn Care (In Hospital) Included in standard inpatient newborn care Phenylketonuria (PKU for Newborns) Age 2-14 days, 2 services during age range Psychosocial/Behavioral Assessment Age Newborn - 21 years, 31 services during age range Preventive Office Visit 9 visits first two years of life; Age 2, two visits per birth year; Age 3-6, one each year (based on birth year); Age 7 and older, one visit per calendar year Sexually Transmitted Infections Counseling Age 10 and older, one per calendar year Sexually Transmitted Infections Screening Age 11-21, No frequency limit Sudden Cardiac Arrest and Sudden Cardiac Death Screening (Effective 1/1/23) Age 11-21 years, 6 services during age range	Hearing Screening (Newborns)	Age birth - 31 days, once in age range
Hemoglobinopathies (sickle cell screening for newborns) Age birth - 31 days  Hepatitis B Screening Age 11 and older, one per calendar year  High Body Mass Index in Children and Adolescents Interventions (Effective 7/1/25) Age 6-17 years, 26 services per year  HIV Screening (Adolescents at High Risk) Age 10 and older  Lead Screening Age 6 months - 6 years, 3 services during age range  Maternal Depression Screening (Newborns) Age birth - 2 months, 4 services during age range  Metabolic Hemoglobin Screening (Newborns) Age 6 months - 6 years, 3 services during age range  Metabolic Hemoglobin Screening (Newborns) Age 6 months, 4 services during age range  Metabolic Hemoglobin Screening (Newborns) Age 6 months - 6 years, 3 services during age range  Metabolic Hemoglobin Screening And Counseling Age 6 months - 6 years, 3 services during age range  Metabolic Hemoglobin Screening And Counseling Age 6 months - 6 years, 3 services during age range  Metabolic Hemoglobin Screening And Counseling Age 6 months - 6 years, 3 services during age range  Metabolic Hemoglobin Screening Age 2-14 days, 2 services during age range  Preventive Office Visit  9 visits first two years of life; Age 2, two visits per birth year; Age 3-6, one each year (based on birth year); Age 7 and older, one visit per calendar year  Sexually Transmitted Infections Counseling Age 10 and older, one per calendar year  Sexually Transmitted Infections Screening Age 11-21, No frequency limit  Sudden Cardiac Arrest and Sudden Cardiac Death Screening (Effective 1/1/23) Age 11-21 years, included in preventive office visits  Tuberculin Testing Age 1 month - 21 years, 6 services during age range	Hearing Screening	Age 2 months - 10 years, 8 tests during age range; Age 11-21, 3 tests during age range
Hepatitis B Screening High Body Mass Index in Children and Adolescents Interventions (Effective 7/1/25) Age 6-17 years, 26 services per year HIV Screening (Adolescents at High Risk) Age 10 and older Lead Screening Age 6 months - 6 years, 3 services during age range Maternal Depression Screening (Newborns) Age birth - 6 months, 4 services during age range Metabolic Hemoglobin Screening (Newborns) Age birth - 2 months, once in age range Obesity Screening and Counseling Age 6 and older, one per calendar year Oral Health Risk Assessment Age 6 months - 6 years, 3 services during age range Routine Newborn Care (In Hospital) Included in standard inpatient newborn care Phenylketonuria (PKU for Newborns) Age 2-14 days, 2 services during age range Psychosocial/Behavioral Assessment Age Newborn - 21 years, 31 services during age range Preventive Office Visit 9 visits first two years of life; Age 2, two visits per birth year; Age 3-6, one each year (based on birth year); Age 7 and older, one visit per calendar year Sexually Transmitted Infections Screening Age 10 and older, one per calendar year Age 11-21, No frequency limit Age 11-21 years, included in preventive office visits Age 1 month - 21 years, 6 services during age range	Hematocrit or Hemoglobin Screening	Age 4 months - 10 years, 3 services during age range; Age 11-21, one per calendar year
High Body Mass Index in Children and Adolescents Interventions (Effective 7/1/25) Age 6-17 years, 26 services per year  HIV Screening (Adolescents at High Risk) Age 10 and older  Age 6 months - 6 years, 3 services during age range  Maternal Depression Screening Metabolic Hemoglobin Screening (Newborns) Age birth - 2 months, once in age range  Obesity Screening and Counseling Age 6 and older, one per calendar year  Oral Health Risk Assessment Age 6 months - 6 years, 3 services during age range  Routine Newborn Care (In Hospital) Included in standard inpatient newborn care  Phenylketonuria (PKU for Newborns) Age 2-14 days, 2 services during age range  Psychosocial/Behavioral Assessment Age Newborn - 21 years, 31 services during age range  Preventive Office Visit 9 visits first two years of life; Age 2, two visits per birth year; Age 3-6, one each year (based on birth year); Age 7 and older, one visit per calendar year  Sexually Transmitted Infections Counseling Age 10 and older, one per calendar year  Age 11-21, No frequency limit  Sudden Cardiac Arrest and Sudden Cardiac Death Screening (Effective 1/1/23) Age 11-21 years, included in preventive office visits  Tuberculin Testing Age 1 month - 21 years, 6 services during age range	Hemoglobinopathies (sickle cell screening for newborns)	Age birth - 31 days
HIV Screening (Adolescents at High Risk)  Age 10 and older  Age 6 months - 6 years, 3 services during age range  Maternal Depression Screening  Metabolic Hemoglobin Screening (Newborns)  Age birth - 6 months, 4 services during age range  Metabolic Hemoglobin Screening (Newborns)  Age birth - 2 months, once in age range  Obesity Screening and Counseling  Age 6 and older, one per calendar year  Oral Health Risk Assessment  Age 6 months - 6 years, 3 services during age range  Routine Newborn Care (In Hospital)  Included in standard inpatient newborn care  Phenylketonuria (PKU for Newborns)  Age 2-14 days, 2 services during age range  Psychosocial/Behavioral Assessment  Age Newborn - 21 years, 31 services during age range  Preventive Office Visit  Deventive Office Visit  Sexually Transmitted Infections Counseling  Age 10 and older, one per calendar year  Age 10 and older, one per calendar year  Age 11-21, No frequency limit  Sudden Cardiac Arrest and Sudden Cardiac Death Screening (Effective 1/1/23)  Age 11-21 years, included in preventive office visits  Age 1 month - 21 years, 6 services during age range	Hepatitis B Screening	Age 11 and older, one per calendar year
Lead ScreeningAge 6 months - 6 years, 3 services during age rangeMaternal Depression ScreeningAge birth - 6 months, 4 services during age rangeMetabolic Hemoglobin Screening (Newborns)Age birth - 2 months, once in age rangeObesity Screening and CounselingAge 6 and older, one per calendar yearOral Health Risk AssessmentAge 6 months - 6 years, 3 services during age rangeRoutine Newborn Care (In Hospital)Included in standard inpatient newborn carePhenylketonuria (PKU for Newborns)Age 2-14 days, 2 services during age rangePsychosocial/Behavioral AssessmentAge Newborn - 21 years, 31 services during age rangePreventive Office Visit9 visits first two years of life; Age 2, two visits per birth year; Age 3-6, one each year (based on birth year); Age 7 and older, one visit per calendar yearSexually Transmitted Infections CounselingAge 10 and older, one per calendar yearSexually Transmitted Infections ScreeningAge 11-21, No frequency limitSudden Cardiac Arrest and Sudden Cardiac Death Screening (Effective 1/1/23)Age 11-21 years, included in preventive office visitsTuberculin TestingAge 1 month - 21 years, 6 services during age range	High Body Mass Index in Children and Adolescents Interventions (Effective 7/1/25)	Age 6-17 years, 26 services per year
Maternal Depression ScreeningAge birth - 6 months, 4 services during age rangeMetabolic Hemoglobin Screening (Newborns)Age birth - 2 months, once in age rangeObesity Screening and CounselingAge 6 and older, one per calendar yearOral Health Risk AssessmentAge 6 months - 6 years, 3 services during age rangeRoutine Newborn Care (In Hospital)Included in standard inpatient newborn carePhenylketonuria (PKU for Newborns)Age 2-14 days, 2 services during age rangePsychosocial/Behavioral AssessmentAge Newborn - 21 years, 31 services during age rangePreventive Office Visit9 visits first two years of life; Age 2, two visits per birth year; Age 3-6, one each year (based on birth year); Age 7 and older, one visit per calendar yearSexually Transmitted Infections CounselingAge 10 and older, one per calendar yearSexually Transmitted Infections ScreeningAge 11-21, No frequency limitSudden Cardiac Arrest and Sudden Cardiac Death Screening (Effective 1/1/23)Age 11-21 years, included in preventive office visitsTuberculin TestingAge 1 month - 21 years, 6 services during age range	HIV Screening (Adolescents at High Risk)	Age 10 and older
Metabolic Hemoglobin Screening (Newborns)  Age birth - 2 months, once in age range  Obesity Screening and Counseling  Age 6 and older, one per calendar year  Oral Health Risk Assessment  Age 6 months - 6 years, 3 services during age range  Routine Newborn Care (In Hospital)  Included in standard inpatient newborn care  Phenylketonuria (PKU for Newborns)  Age 2-14 days, 2 services during age range  Psychosocial/Behavioral Assessment  Age Newborn - 21 years, 31 services during age range  Preventive Office Visit  9 visits first two years of life; Age 2, two visits per birth year; Age 3-6, one each year (based on birth year); Age 7 and older, one visit per calendar year  Sexually Transmitted Infections Counseling  Age 10 and older, one per calendar year  Age 11-21, No frequency limit  Sudden Cardiac Arrest and Sudden Cardiac Death Screening (Effective 1/1/23)  Age 11-21 years, included in preventive office visits  Tuberculin Testing  Age 1 month - 21 years, 6 services during age range	Lead Screening	Age 6 months - 6 years, 3 services during age range
Obesity Screening and Counseling Age 6 and older, one per calendar year Oral Health Risk Assessment Age 6 months - 6 years, 3 services during age range Routine Newborn Care (In Hospital) Included in standard inpatient newborn care Phenylketonuria (PKU for Newborns) Age 2-14 days, 2 services during age range Psychosocial/Behavioral Assessment Age Newborn - 21 years, 31 services during age range Preventive Office Visit 9 visits first two years of life; Age 2, two visits per birth year; Age 3-6, one each year (based on birth year); Age 7 and older, one visit per calendar year Sexually Transmitted Infections Counseling Age 10 and older, one per calendar year Sexually Transmitted Infections Screening Age 11-21, No frequency limit Sudden Cardiac Arrest and Sudden Cardiac Death Screening (Effective 1/1/23) Age 11-21 years, included in preventive office visits Tuberculin Testing Age 1 month - 21 years, 6 services during age range	Maternal Depression Screening	Age birth - 6 months, 4 services during age range
Oral Health Risk Assessment  Routine Newborn Care (In Hospital)  Included in standard inpatient newborn care  Phenylketonuria (PKU for Newborns)  Age 2-14 days, 2 services during age range  Psychosocial/Behavioral Assessment  Age Newborn - 21 years, 31 services during age range  Preventive Office Visit  9 visits first two years of life; Age 2, two visits per birth year; Age 3-6, one each year (based on birth year); Age 7 and older, one visit per calendar year  Sexually Transmitted Infections Counseling  Age 10 and older, one per calendar year  Sexually Transmitted Infections Screening  Age 11-21, No frequency limit  Sudden Cardiac Arrest and Sudden Cardiac Death Screening (Effective 1/1/23)  Age 11-21 years, included in preventive office visits  Tuberculin Testing  Age 1 month - 21 years, 6 services during age range	Metabolic Hemoglobin Screening (Newborns)	Age birth - 2 months, once in age range
Routine Newborn Care (In Hospital)  Phenylketonuria (PKU for Newborns)  Age 2-14 days, 2 services during age range  Psychosocial/Behavioral Assessment  Age Newborn - 21 years, 31 services during age range  Preventive Office Visit  9 visits first two years of life; Age 2, two visits per birth year; Age 3-6, one each year (based on birth year); Age 7 and older, one visit per calendar year  Sexually Transmitted Infections Counseling  Age 10 and older, one per calendar year  Sexually Transmitted Infections Screening  Age 11-21, No frequency limit  Sudden Cardiac Arrest and Sudden Cardiac Death Screening (Effective 1/1/23)  Age 11-21 years, included in preventive office visits  Age 1 month - 21 years, 6 services during age range	Obesity Screening and Counseling	Age 6 and older, one per calendar year
Phenylketonuria (PKU for Newborns)  Age 2-14 days, 2 services during age range  Age Newborn - 21 years, 31 services during age range  Preventive Office Visit  9 visits first two years of life; Age 2, two visits per birth year; Age 3-6, one each year (based on birth year); Age 7 and older, one visit per calendar year  Sexually Transmitted Infections Counseling  Age 10 and older, one per calendar year  Sexually Transmitted Infections Screening  Age 11-21, No frequency limit  Sudden Cardiac Arrest and Sudden Cardiac Death Screening (Effective 1/1/23)  Age 11-21 years, included in preventive office visits  Tuberculin Testing  Age 1 month - 21 years, 6 services during age range	Oral Health Risk Assessment	Age 6 months - 6 years, 3 services during age range
Psychosocial/Behavioral Assessment  Age Newborn - 21 years, 31 services during age range  9 visits first two years of life; Age 2, two visits per birth year; Age 3-6, one each year (based on birth year); Age 7 and older, one visit per calendar year  Sexually Transmitted Infections Counseling  Age 10 and older, one per calendar year  Age 11-21, No frequency limit  Sudden Cardiac Arrest and Sudden Cardiac Death Screening (Effective 1/1/23)  Age 11-21 years, included in preventive office visits  Tuberculin Testing  Age 1 month - 21 years, 6 services during age range	Routine Newborn Care (In Hospital)	Included in standard inpatient newborn care
Preventive Office Visit  9 visits first two years of life; Age 2, two visits per birth year; Age 3-6, one each year (based on birth year); Age 7 and older, one visit per calendar year  Sexually Transmitted Infections Counseling  Age 10 and older, one per calendar year  Age 11-21, No frequency limit  Sudden Cardiac Arrest and Sudden Cardiac Death Screening (Effective 1/1/23)  Age 11-21 years, included in preventive office visits  Tuberculin Testing  Age 1 month - 21 years, 6 services during age range	Phenylketonuria (PKU for Newborns)	Age 2-14 days, 2 services during age range
(based on birth year); Age 7 and older, one visit per calendar year  Sexually Transmitted Infections Counseling  Age 10 and older, one per calendar year  Age 11-21, No frequency limit  Sudden Cardiac Arrest and Sudden Cardiac Death Screening (Effective 1/1/23)  Age 11-21 years, included in preventive office visits  Tuberculin Testing  Age 1 month - 21 years, 6 services during age range	Psychosocial/Behavioral Assessment	Age Newborn - 21 years, 31 services during age range
Sexually Transmitted Infections Screening  Age 11-21, No frequency limit  Sudden Cardiac Arrest and Sudden Cardiac Death Screening (Effective 1/1/23)  Age 11-21 years, included in preventive office visits  Tuberculin Testing  Age 1 month - 21 years, 6 services during age range	Preventive Office Visit	
Sudden Cardiac Arrest and Sudden Cardiac Death Screening (Effective 1/1/23)  Age 11-21 years, included in preventive office visits  Tuberculin Testing  Age 1 month - 21 years, 6 services during age range	Sexually Transmitted Infections Counseling	Age 10 and older, one per calendar year
Tuberculin Testing  Age 1 month - 21 years, 6 services during age range	Sexually Transmitted Infections Screening	Age 11-21, No frequency limit
	Sudden Cardiac Arrest and Sudden Cardiac Death Screening (Effective 1/1/23)	Age 11-21 years, included in preventive office visits
Vision Screening (Visual Acuity)  Birth - 10 years, 8 services in age range. Age 11-21, 4 services in age range	Tuberculin Testing	Age 1 month - 21 years, 6 services during age range
	Vision Screening (Visual Acuity)	Birth - 10 years, 8 services in age range. Age 11-21, 4 services in age range

## **Immunizations**

(Coverage is based on CDC's Advisory Committee in Immunization Practices (ACIP) recommendations regarding age, frequency, and dosage. Refer to the CDC website to view the schedules: cdc.gov/vaccines/schedules/index.html)

COVID-19 vaccine

Diphtheria Toxoid

Diphtheria, Tetanus (DT)

Diphtheria, Tetanus Toxoids, Acellular Pertussis Vaccine, Hemophilus Influenza Type B, and Poliovirus Vaccine, Inactivated (DTaP-Hib-IPV)

Diphtheria, Tetanus Toxoids, Acellular Pertussis Vaccine, Hepatitis B, and Poliovirus Vaccine, Inactivated (DTaP-HepB-IPV)

Diphtheria, Tetanus, Acellular Pertussis (DTap)

Diphtheria, Tetanus, Acellular Pertussis and Hemophilus Influenza B Vaccine (DTaP-Hib)

Diphtheria, Tetanus Toxoids, Acellular Pertussis Vaccine and Poliovirus Vaccine, Inactivated (Dtap-IPV)

Hemophilus Influenza B Vaccine (HIB)

## **Immunizations** Hepatitis A Hepatitis A and B Hepatitis B and Hemophilus Influenza B Vaccine - Active Immunization (HepB - Hib) Hepatitis B Vaccine - Active Immunizations (HepB) Human Papilloma Virus (HPV) Influenza Virus Vaccine Measles Virus Vaccine - Live Measles, Mumps and Rubella Vaccine (MMR) Measles, Mumps, Rubella, and Varicella Vaccine (MMRV) Meningococcal Conjugate Vaccine MenABCWY (pentavalent meningococcal) vaccine Meningococcal Serogroup B Vaccine Mpox Vaccine (formerly known as monkeypox) Mumps Virus Vaccine - Live Pneumococcal Conjugate (PCV) / Pneumococcal Polysaccharide Vaccine Poliomyelitis Vaccine (IPV) Respiratory Syncytial Virus (RSV) vaccine Rotavirus Vaccine Rubella Virus Vaccine **Tetanus Toxoid** Tetanus, Diphtheria, Acellular Pertussis (Tdap) Varicella (Chicken Pox) Vaccine Zoster (Shingles) Vaccine Pharmacy Benefits (To be considered under the pharmacy plan when ordered by a physician and requires prescription to be filled by the pharmacy) Men age 50-59; Women age 13-59 every 5 years (effective April 1, 2023, Aspirin (for dates of services prior to April 1, 2023) this service is no longer considered under preventive) Aspirin Use to Prevent Preeclampsia and Related Morbidity and Mortality Women age 10 and older Contraceptives Women only; generic only Fluoride Ages 6-16 years Folic Acid Women only **Breast Cancer Preventive Drugs** Women age 35 and older **Tobacco Cessation Products** Two 90-day regimens of an FDA-approved tobacco cessation medications, (including both prescription and over-the-counter medications) for a 90-day treatment regimen when prescribed by a health care provider without prior authorization Iron Supplements Ages 6-12 months Ages 40-75 years with one or more cardiovascular risk factors and calculated Statin Medications 10-year risk of a cardiovascular event of 10% or greater. Prevention of HIV Infection: Pre-exposure Prophylaxis (PrEP) Effective 9/17/21, the following services for baseline/ follow-up testing and monitoring

Please note the services listed are as of June 2025, and are subject to change at any time. Please visit **AlabamaBlue.com/PreventiveServices** to view the latest list of our standard preventive services.

(Antiretroviral medication to be considered under the pharmacy plan when



are included per the CDC PrEP guidelines (ages 10 and older):

Kidney function testing (creatinine)

Hepatitis B and C testing

STI screening and counseling

HIV Testing

Pregnancy testing (when appropriate)

· Adherence counseling

· Associated office visits

ordered by a physician.)